Cable trays (KD)



04

Connectors 90°

KD-KK-LK90-60×50 KD-KK-LK90-100×50 KD-KK-LK90-200×50



DESCRIPTION

90° connectors with width of 60, 100 and 200 mm complement our photovoltaic structures, forming a complete system designed for the construction of photovoltaic installations mounted on roofs, grounds, and parking lots - characterized not only by accessibility, but also durability, achieved through the use of high-quality steel resistant to corrosion in C3 environments, ensuring the required corrosion resistance for a minimum of 10 years.

- → A universal mounting system, built with cable trays of varying widths and connecting elements, allowing for versatile installation.
- → A multipart cable tray system, made of Magnelis™ steel, designed for various types of installations, mounted using our structures and beyond.
- → Excellent for building small home installations up to 10 kW.
- → The system is intended for installations, where the primary criterion is the need to install trays outside the building and in cases where a warranty period exceeding 10 years is required for C3 environments (in accordance with the warranty terms available on the website www.rbtsolar.com).



Cable trays (KD)



LIST OF PARTS - BASE OF CONSTRUCTION



Hexagonal nut Washer M10 300HV M10 IE ISO7093-1 IE

NM10Z PSZM10Z



Hexagonal screw M10X20 IE


SM10X20Z

LIST OF PARTS - OTHER INSTALLATION ELEMENTS



Sheet metal screw OC 5.5X25 EPDM

BLW55X25EPDMZ



Cover W=60/100/200

RBTSOLAR-KD-KK-LKD90-60×50 RBTSOLAR-KD-KK-LKD90-100×50 RBTSOLAR-KD-KK-LKD90-200×50